




Cleaved-PARP-1 (G215) Polyclonal Antibody

| | |
|---------------------------------|--|
| Swiss-Prot No.: | P09874 |
| Molecular Weight: | 113.084 |
| Applications: | WB,ELISA |
| Reactivity: | Human |
| Purification: | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |
| Immunogen: | Synthesized peptide derived from the Internal region of human PARP-1. at AA rangle: 170-250 |
| Specificity/Sensitivity: | Cleaved-PARP-1 (G215) Polyclonal Antibody detects endogenous levels of fragment of activated PARP-1 protein resulting from cleavage adjacent to G215. |
| Other Names: | PARP1; ADPRT; PPOL; Poly [ADP-ribose] polymerase 1; PARP-1; ADP-ribosyltransferase diphtheria toxin-like 1; ARTD1; NAD(+) ADP-ribosyltransferase 1; ADPRT 1; Poly[ADP-ribose] synthase 1 |
| Storage/Stability: | -20°C/1 year |
| Source: | Rabbit |
| Form of Antibody: | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |

| | |
|-------------------------------|--|
| Protein Concentration: | 1 mg/ml |
| |  |
| | Western Blot analysis of various cells using Cleaved-PARP-1 (G215) Polyclonal Antibody |
| Gene Name: | PARP1 |
| Dilution: | Western Blot: 1/500 - 1/2000. ELISA: 1/5000. Not yet tested in other applications. |