

Cleaved-Factor Xa activated HC (1235) Polyclonal Antibody

Swiss-Prot No.:	P00742		
Molecular Weight:	54.732		
Applications:	WB,ELISA		
Reactivity:	Human,Mouse,Rat		
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.		
Immunogen:	Synthesized peptide derived from the Internal region of human Factor Xa activated HC. at AA rangle: 190-270		
Specificity/Sensitivity:	Cleaved-Factor Xa activated HC (I235) Polyclonal Antibody detects endogenous levels of fragment of activated Factor Xa activated HC protein resulting from cleavage adjacent to I235.		
Other Names:	F10; Coagulation factor X; Stuart factor; Stuart-Prower factor		
Storage/Stability:	-20°C/1 year		
Source:	Rabbit		
Form of Antibody:	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.		
Protein Concentration:	1 mg/ml		

	170 130 100 70 55 40 25	rat	Cleaved-Factor Xa activated 1	
	Western Blot analysis of rat cells using Cleaved-Factor Xa activated HC (I235) Polyclonal Antibody			
Gene Name:	F10			
Dilution:	Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.			