




## Cyclin E1 (phospho Thr395) Polyclonal Antibody

<b>Swiss-Prot No.:</b>	P24864
<b>Molecular Weight:</b>	47.077
<b>Applications:</b>	WB,IHC,ELISA
<b>Reactivity:</b>	Human
<b>Purification:</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Immunogen:</b>	Synthesized peptide derived from human Cyclin E1 around the phosphorylation site of T395.
<b>Specificity/Sensitivity:</b>	Phospho-Cyclin E1 (T395) Polyclonal Antibody detects endogenous levels of Cyclin E1 protein only when phosphorylated at T395.
<b>Other Names:</b>	CCNE1; CCNE; G1/S-specific cyclin-E1
<b>Storage/Stability:</b>	-20°C/1 year
<b>Source:</b>	Rabbit
<b>Form of Antibody:</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Protein Concentration:</b>	1 mg/ml

	 <p>A549</p> <p>170- 130- 100- 70- 55- 40- 35- 25- 15--</p> <p>Phospho-Cyclin E1 (T395)</p>
	Western Blot analysis of various cells using Phospho-Cyclin E1 (T395) Polyclonal Antibody
<b>Gene Name:</b>	CCNE1
<b>Dilution:</b>	Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/10000. Not yet tested in other applications.