


	<h1>IκB-β (phospho Thr19) Polyclonal Antibody</h1>	
--	--	--

<b>Swiss-Prot No.:</b>	Q15653
<b>Molecular Weight:</b>	37.771
<b>Applications:</b>	WB,IHC,ELISA
<b>Reactivity:</b>	Human
<b>Purification:</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Immunogen:</b>	Synthesized peptide derived from human IκB-β around the phosphorylation site of T19.
<b>Specificity/Sensitivity:</b>	Phospho-IκB-β (T19) Polyclonal Antibody detects endogenous levels of IκB-β protein only when phosphorylated at T19.
<b>Other Names:</b>	NFKBIB; IKBB; TRIP9; NF-kappa-B inhibitor beta; NF-kappa-BIB; I-kappa-B-beta; IκB-B; IκB-beta; IkappaBbeta; Thyroid receptor-interacting protein 9; TR-interacting protein 9; TRIP-9
<b>Storage/Stability:</b>	-20°C/1 year
<b>Source:</b>	Rabbit
<b>Form of Antibody:</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Protein Concentration:</b>	1 mg/ml

	 <p>Western blot analysis of 293 cells using Phospho-IkB-β (T19) Polyclonal Antibody. The blot shows a single band at approximately 35 kDa, labeled p-IkB-β (T19). Molecular weight markers are indicated on the left: 170, 130, 100, 70, 55, 40, 35, 25, and 15 kDa. The sample is labeled 293 and TNF-α.</p>
	Western Blot analysis of 293 cells using Phospho-IkB-β (T19) Polyclonal Antibody
<b>Gene Name:</b>	NFKBIB
<b>Dilution:</b>	Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/5000. Not yet tested in other applications.