



| | | |
|--|--|--|
|  | <p>RPA p32 (phospho Ser33) Polyclonal Antibody</p> | |
|--|--|--|

| | |
|--------------------------|---|
| Swiss-Prot No.: | P15927 |
| Molecular Weight: | 29.247 |
| Applications: | WB,ELISA |
| Reactivity: | Human,Mouse,Rat |
| Purification: | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |
| Immunogen: | Synthesized peptide derived from human RPA p32 around the phosphorylation site of S33. |
| Specificity/Sensitivity: | Phospho-RPA p32 (S33) Polyclonal Antibody detects endogenous levels of RPA p32 protein only when phosphorylated at S33. |
| Other Names: | RPA2; REPA2; RPA32; RPA34; Replication protein A 32 kDa subunit; RP-A p32; Replication factor A protein 2; RF-A protein 2; Replication protein A 34 kDa subunit; RP-A p34 |
| Storage/Stability: | -20°C/1 year |
| Source: | Rabbit |
| Form of Antibody: | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Protein Concentration: | 1 mg/ml |

For Research Use Only

| | |
|------------|--|
| |  |
| | Western Blot analysis of various cells using Phospho-RPA p32 (S33) Polyclonal Antibody |
| Gene Name: | RPA2 |
| Dilution: | Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications. |