



NFATc4 (phospho Ser168/S170) Polyclonal Antibody

Swiss-Prot No.:	Q14934
Molecular Weight:	95.473
Applications:	WB,IHC,ELISA
Reactivity:	Human,Mouse
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Immunogen:	Synthesized peptide derived from human NFATc4 around the phosphorylation site of S168/S170.
Specificity/Sensitivity:	Phospho-NFATc4 (S168/S170) Polyclonal Antibody detects endogenous levels of NFATc4 protein only when phosphorylated at S168/S170.
Other Names:	NFATC4; NFAT3; Nuclear factor of activated T-cells; cytoplasmic 4; NF-ATc4; NFATc4; T-cell transcription factor NFAT3; NF-AT3
Storage/Stability:	-20°C/1 year
Source:	Rabbit
Form of Antibody:	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Protein Concentration:	1 mg/ml

For Research Use Only

Gene Name:	NFATC4
Dilution:	Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/5000. Not yet tested in other applications.