

Bad Polyclonal Antibody

Swiss-Prot No.:	Q92934
Molecular Weight:	18.392
Applications:	WB,IHC,ELISA
Reactivity:	Human, Mouse, Rat, Monkey
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Immunogen:	Synthesized peptide derived from human Bad around the non- phosphorylation site of S155.
Specificity/Sensitivity:	Bad Polyclonal Antibody detects endogenous levels of Bad protein.
Other Names:	BAD; BBC6; BCL2L8; Bcl2 antagonist of cell death; BAD; Bcl-2-binding component 6; Bcl-2-like protein 8; Bcl2-L-8; Bcl-XL/Bcl-2-associated death promoter
Storage/Stability:	-20°C/1 year
Source:	Rabbit
Form of Antibody:	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Protein Concentration:	1 mg/ml

	BAD 22KD BAD (p-Ser136) 22KD - + - phospho-peptide + non-phospho-peptide + + + NIH/3T3 Insulin 0.01U/ml 15'
	Western Blot analysis of various cells using Bad Polyclonal Antibody
Gene Name:	BAD
Dilution:	Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/10000. Not yet tested in other applications.