




## Casein Kinase Iγ1 Polyclonal Antibody

|                                 |   |
|---------------------------------|---|
| <b>Swiss-Prot No.:</b>          | Q9HCP0  |
| <b>Molecular Weight:</b>        | 48.511  |
| <b>Applications:</b>            | WB,IHC,IF,ELISA   |
| <b>Reactivity:</b>              | Human,Mouse,Rat,Monkey  |
| <b>Purification:</b>            | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |
| <b>Immunogen:</b>               | Synthesized peptide derived from the N-terminal region of human Casein Kinase Iγ1. at AA range: 1-80                  |
| <b>Specificity/Sensitivity:</b> | Casein Kinase Iγ1 Polyclonal Antibody detects endogenous levels of Casein Kinase Iγ1 protein.                         |
| <b>Other Names:</b>             | CSNK1G1; Casein kinase I isoform gamma-1; CKI-gamma 1   |
| <b>Storage/Stability:</b>       | -20°C/1 year  |
| <b>Source:</b>                  | Rabbit  |
| <b>Form of Antibody:</b>        | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.   |
| <b>Protein Concentration:</b>   | 1 mg/ml   |

|                   |  |
|-------------------|--|
|                   |  <p>COS7</p> <p>(kD)</p> <p>117-</p> <p>85-</p> <p>48-</p> <p>34-</p> <p>26-</p> <p>19-</p> |
|                   | Western Blot analysis of various cells using Casein Kinase Iγ1 Polyclonal Antibody   |
| <b>Gene Name:</b> | CSNK1G1  |
| <b>Dilution:</b>  | Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/20000. Not yet tested in other applications.                 |