




## Cdk2 Polyclonal Antibody

|                                 |   |
|---------------------------------|---|
| <b>Swiss-Prot No.:</b>          | P24941  |
| <b>Molecular Weight:</b>        | 33.93   |
| <b>Applications:</b>            | WB,IHC,IF,ELISA   |
| <b>Reactivity:</b>              | Human,Mouse,Rat   |
| <b>Purification:</b>            | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |
| <b>Immunogen:</b>               | Synthesized peptide derived from the C-terminal region of human Cdk2. at AA range: 200-280                            |
| <b>Specificity/Sensitivity:</b> | Cdk2 Polyclonal Antibody detects endogenous levels of Cdk2 protein.   |
| <b>Other Names:</b>             | CDK2; CDKN2; Cyclin-dependent kinase 2; Cell division protein kinase 2; p33 protein kinase                            |
| <b>Storage/Stability:</b>       | -20°C/1 year  |
| <b>Source:</b>                  | Rabbit  |
| <b>Form of Antibody:</b>        | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.   |
| <b>Protein Concentration:</b>   | 1 mg/ml   |

|                   |  |
|-------------------|--|
|                   |   |
|                   | Western Blot analysis of various cells using Cdk2 Polyclonal Antibody  |
| <b>Gene Name:</b> | CDK2   |
| <b>Dilution:</b>  | Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/20000. Not yet tested in other applications. |