




c-Maf Polyclonal Antibody

| | |
|---------------------------------|---|
| Swiss-Prot No.: | 075444 |
| Molecular Weight: | 41.961 |
| Applications: | WB,ELISA |
| Reactivity: | Human,Mouse,Rat |
| Purification: | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |
| Immunogen: | Synthesized peptide derived from the C-terminal region of human c-Maf. at AA range: 270-350 |
| Specificity/Sensitivity: | c-Maf Polyclonal Antibody detects endogenous levels of c-Maf protein. |
| Other Names: | MAF; Transcription factor Maf; Proto-oncogene c-Maf; V-maf musculoaponeurotic fibrosarcoma oncogene homolog |
| Storage/Stability: | -20°C/1 year |
| Source: | Rabbit |
| Form of Antibody: | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Protein Concentration: | 1 mg/ml |

| | |
|------------|--|
| |  <p>(kD) 117- 85- 48- 34- 26- 19- 3T3 c-Maf</p> |
| | Western Blot analysis of various cells using c-Maf Polyclonal Antibody |
| Gene Name: | MAF |
| Dilution: | Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications. |