




## c-Src Polyclonal Antibody

<b>Swiss-Prot No.:</b>	P12931
<b>Molecular Weight:</b>	59.704
<b>Applications:</b>	WB,ELISA
<b>Reactivity:</b>	Human,Mouse,Rat
<b>Purification:</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Immunogen:</b>	Synthesized peptide derived from human c-Src around the non-phosphorylation site of Y216.
<b>Specificity/Sensitivity:</b>	c-Src Polyclonal Antibody detects endogenous levels of c-Src protein.
<b>Other Names:</b>	SRC; SRC1; Proto-oncogene tyrosine-protein kinase Src; Proto-oncogene c-Src; pp60c-src; p60-Src
<b>Storage/Stability:</b>	-20°C/1 year
<b>Source:</b>	Rabbit
<b>Form of Antibody:</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Protein Concentration:</b>	1 mg/ml

For Research Use Only

	
	Western Blot analysis of HepG2 cells using c-Src Polyclonal Antibody
Gene Name:	SRC
Dilution:	Western Blot: 1/500 - 1/2000. ELISA: 1/5000. Not yet tested in other applications.