




## CYP17A1 Polyclonal Antibody

<b>Swiss-Prot No.:</b>	P05093
<b>Molecular Weight:</b>	57.371
<b>Applications:</b>	WB,IHC,IF,ELISA
<b>Reactivity:</b>	Human
<b>Purification:</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Immunogen:</b>	Synthesized peptide derived from the Internal region of human CYP17A1. at AA range: 190-270
<b>Specificity/Sensitivity:</b>	CYP17A1 Polyclonal Antibody detects endogenous levels of CYP17A1 protein.
<b>Other Names:</b>	CYP17A1; CYP17; S17AH; Steroid 17-alpha-hydroxylase/17; 20 lyase; CYPXVII; Cytochrome P450 17A1; Cytochrome P450-C17; Cytochrome P450c17; Steroid 17-alpha-monooxygenase
<b>Storage/Stability:</b>	-20°C/1 year
<b>Source:</b>	Rabbit
<b>Form of Antibody:</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Protein Concentration:</b>	1 mg/ml

For Research Use Only

	
	Western Blot analysis of 293 cells using CYP17A1 Polyclonal Antibody
<b>Gene Name:</b>	CYP17A1
<b>Dilution:</b>	Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/10000. Not yet tested in other applications.