
	<h1>FADD Polyclonal Antibody</h1>	
--	-----------------------------------	--

<b>Swiss-Prot No.:</b>	Q13158
<b>Molecular Weight:</b>	23.279
<b>Applications:</b>	WB,IHC,ELISA
<b>Reactivity:</b>	Human
<b>Purification:</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Immunogen:</b>	Synthesized peptide derived from human FADD around the non-phosphorylation site of S194.
<b>Specificity/Sensitivity:</b>	FADD Polyclonal Antibody detects endogenous levels of FADD protein.
<b>Other Names:</b>	FADD; MORT1; GIG3; Protein FADD; FAS-associated death domain protein; FAS-associating death domain-containing protein; Growth-inhibiting gene 3 protein; Mediator of receptor induced toxicity
<b>Storage/Stability:</b>	-20°C/1 year
<b>Source:</b>	Rabbit
<b>Form of Antibody:</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Protein Concentration:</b>	1 mg/ml

**For Research Use Only**

	 <p>HeLa</p> <p>(kD)</p> <p>117-</p> <p>85-</p> <p>48-</p> <p>34-</p> <p>26-</p> <p>19-</p>
	Western Blot analysis of various cells using FADD Polyclonal Antibody
<b>Gene Name:</b>	FADD
<b>Dilution:</b>	Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/5000. Not yet tested in other applications.