




## Flt-1 Polyclonal Antibody

|                                 |  |
|---------------------------------|--|
| <b>Swiss-Prot No.:</b>          | P17948   |
| <b>Molecular Weight:</b>        | 150.769  |
| <b>Applications:</b>            | WB,IHC,ELISA   |
| <b>Reactivity:</b>              | Human,Mouse,Rat  |
| <b>Purification:</b>            | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.  |
| <b>Immunogen:</b>               | Synthesized peptide derived from human Flt-1 around the non-phosphorylation site of Y1048.   |
| <b>Specificity/Sensitivity:</b> | Flt-1 Polyclonal Antibody detects endogenous levels of Flt-1 protein.  |
| <b>Other Names:</b>             | FLT1; FLT; FRT; VEGFR1; Vascular endothelial growth factor receptor 1; VEGFR-1; Fms-like tyrosine kinase 1; FLT-1; Tyrosine-protein kinase FRT; Tyrosine-protein kinase receptor FLT; FLT; Vascular permeability factor receptor |
| <b>Storage/Stability:</b>       | -20°C/1 year   |
| <b>Source:</b>                  | Rabbit   |
| <b>Form of Antibody:</b>        | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.  |
| <b>Protein Concentration:</b>   | 1 mg/ml  |

For Research Use Only

|            |  |
|------------|--|
|            |           |
|            | Western blot analysis of KB SH-SY5Y 293T lysis using Flt-1 antibody.                       |
| Gene Name: | FLT1   |
| Dilution:  | Immunohistochemistry: 1/100 - 1/300. ELISA: 1/10000. Not yet tested in other applications. |