


<b>Swiss-Prot No.:</b>	P36888
<b>Molecular Weight:</b>	112.804
<b>Applications:</b>	WB,ELISA
<b>Reactivity:</b>	Human,Mouse
<b>Purification:</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Immunogen:</b>	Synthesized peptide derived from human Flt3 around the non-phosphorylation site of Y599.
<b>Specificity/Sensitivity:</b>	Flt3 Polyclonal Antibody detects endogenous levels of Flt3 protein.
<b>Other Names:</b>	FLT3; CD135; FLK2; STK1; Receptor-type tyrosine-protein kinase FLT3; FL cytokine receptor; Fetal liver kinase-2; FLK-2; Fms-like tyrosine kinase 3; FLT-3; Stem cell tyrosine kinase 1; STK-1; CD antigen CD135
<b>Storage/Stability:</b>	-20°C/1 year
<b>Source:</b>	Rabbit
<b>Form of Antibody:</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Protein Concentration:</b>	1 mg/ml

**For Research Use Only**

	 <p>HEPG2</p> <p>170— 130— 100— 70— 55— 40— 35— 25— 15—</p> <p>Flt3</p>
	Western Blot analysis of HEPG2 cells using Flt3 Polyclonal Antibody
<b>Gene Name:</b>	FLT3
<b>Dilution:</b>	Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.