



Girdin Polyclonal Antibody

| | |
|---------------------------------|---|
| Swiss-Prot No.: | Q3V6T2 |
| Molecular Weight: | 216.042 |
| Applications: | IHC,ELISA |
| Reactivity: | Human,Mouse |
| Purification: | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |
| Immunogen: | Synthesized peptide derived from human Girdin around the non-phosphorylation site of S1417. |
| Specificity/Sensitivity: | Girdin Polyclonal Antibody detects endogenous levels of Girdin protein. |
| Other Names: | CCDC88A; APE; GRDN; KIAA1212; Girdin; Akt phosphorylation enhancer; APE; Coiled-coil domain-containing protein 88A; G alpha-interacting vesicle-associated protein; GIV; Girders of actin filament; Hook-related protein 1; HkRP1 |
| Storage/Stability: | -20°C/1 year |
| Source: | Rabbit |
| Form of Antibody: | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Protein Concentration: | 1 mg/ml |

For Research Use Only

| | |
|-------------------|---|
| Gene Name: | CCDC88A |
| Dilution: | Immunohistochemistry: 1/100 - 1/300. ELISA: 1/5000. Not yet tested in other applications. |