

HDAC1 Polyclonal Antibody

Swiss-Prot No.:	Q13547	
Molecular Weight:	55.103	
Applications:	WB,IHC,ELISA	
Reactivity:	Human,Mouse,Rat	
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.	
Immunogen:	Synthesized peptide derived from human HDAC1 around the non-phosphorylation site of S421.	
Specificity/Sensitivity:	HDAC1 Polyclonal Antibody detects endogenous levels of HDAC1 protein.	
Other Names:	HDAC1; RPD3L1; Histone deacetylase 1; HD1	
Storage/Stability:	-20°C/1 year	
Source:	Rabbit	
Form of Antibody:	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.	
Protein Concentration:	1 mg/ml	

		293
	(kD)	
	117-	
	85-	
	48-	
	34-	
	26-	
	19-	
	Western Blot analysis of various cells using HDAC1 Polyclonal Antibody	
Gene Name:	HDAC1	
Dilution:		Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - LISA: 1/5000. Not yet tested in other applications.