


HNF-4 α / γ Polyclonal Antibody

Swiss-Prot No.:	P41235/Q14541
Molecular Weight:	45.877
Applications:	WB,IHC,ELISA
Reactivity:	Human,Mouse,Rat
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Immunogen:	Synthesized peptide derived from the Internal region of human HNF-4 α / γ . at AA range: 60-140
Specificity/Sensitivity:	HNF-4 α / γ Polyclonal Antibody detects endogenous levels of HNF-4 α / γ protein.
Other Names:	HNF4A; HNF4; NR2A1; TCF14; Hepatocyte nuclear factor 4-alpha; HNF-4-alpha; Nuclear receptor subfamily 2 group A member 1; Transcription factor 14; TCF-14; Transcription factor HNF-4; HNF4G; NR2A2; Hepatocyte nuclear factor 4-gamma; HNF-4-ga
Storage/Stability:	-20°C/1 year
Source:	Rabbit
Form of Antibody:	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

For Research Use Only

Protein Concentration:	1 mg/ml
	 Western blot analysis of HepG2 cells. The blot shows a single band at approximately 48 kD. Molecular weight markers are indicated on the left: 117, 85, 48, 34, 26, and 19 kD. The label 'HepG2' is at the top of the blot.
	Western Blot analysis of various cells using HNF-4α/γ Polyclonal Antibody
Gene Name:	HNF4A/HNF4G
Dilution:	Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/20000. Not yet tested in other applications.