

IL-17RC Polyclonal Antibody

Swiss-Prot No.:	Q8NAC3
Molecular Weight:	86.294
Applications:	WB,ELISA
Reactivity:	Human
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Immunogen:	Synthesized peptide derived from the C-terminal region of human IL-17RC. at AA rangle: 680-760
Specificity/Sensitivity:	IL-17RC Polyclonal Antibody detects endogenous levels of IL- 17RC protein.
Other Names:	IL17RC; Interleukin-17 receptor C; IL-17 receptor C; IL-17RC; Interleukin-17 receptor homolog; IL17Rhom; Interleukin-17 receptor-like protein; IL-17RL; ZcytoR14
Storage/Stability:	-20°C/1 year
Source:	Rabbit
Form of Antibody:	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Protein Concentration:	1 mg/ml

	Lovo 118 90 -IL-17RC
	50
	39 27
	Western Blot analysis of various cells using IL-17RC Polyclonal Antibody
Gene Name:	IL17RC
Dilution:	Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.