




## LI-cadherin Polyclonal Antibody

<b>Swiss-Prot No.:</b>	Q12864
<b>Molecular Weight:</b>	92.205
<b>Applications:</b>	WB,IHC,IF,ELISA
<b>Reactivity:</b>	Human
<b>Purification:</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Immunogen:</b>	Synthesized peptide derived from the Internal region of human LI-cadherin. at AA range: 310-390
<b>Specificity/Sensitivity:</b>	LI-cadherin Polyclonal Antibody detects endogenous levels of LI-cadherin protein.
<b>Other Names:</b>	CDH17; Cadherin-17; Intestinal peptide-associated transporter HPT-1; Liver-intestine cadherin; LI-cadherin
<b>Storage/Stability:</b>	-20°C/1 year
<b>Source:</b>	Rabbit
<b>Form of Antibody:</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Protein Concentration:</b>	1 mg/ml

	 <p>Jurkat</p> <p>170 130 100 70 55 40 35 25 15</p> <p>LI-cadherin</p>
	Western Blot analysis of Jurkat cells using LI-cadherin Polyclonal Antibody
<b>Gene Name:</b>	CDH17
<b>Dilution:</b>	Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/40000. Not yet tested in other applications.