




Met Polyclonal Antibody

Swiss-Prot No.:	P08581
Molecular Weight:	155.527
Applications:	WB,ELISA
Reactivity:	Human
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Immunogen:	Synthesized peptide derived from human Met around the non-phosphorylation site of Y1234.
Specificity/Sensitivity:	Met Polyclonal Antibody detects endogenous levels of Met protein.
Other Names:	MET; Hepatocyte growth factor receptor; HGF receptor; HGF/SF receptor; Proto-oncogene c-Met; Scatter factor receptor; SF receptor; Tyrosine-protein kinase Met
Storage/Stability:	-20°C/1 year
Source:	Rabbit
Form of Antibody:	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Protein Concentration:	1 mg/ml

For Research Use Only

	 <p>Western blot analysis of HepG2 cells using Met Polyclonal Antibody. The blot shows a single band at approximately 145 kD. Molecular weight markers are indicated on the left at 170, 130, 95, 72, and 55 kD.</p>
	Western Blot analysis of various cells using Met Polyclonal Antibody
Gene Name:	MET
Dilution:	Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.