



| | | |
|--|--|--|
|  | <h1>MRCKα Polyclonal Antibody</h1> | |
|--|--|--|

| | |
|---------------------------------|---|
| Swiss-Prot No.: | Q5VT25 |
| Molecular Weight: | 197.307 |
| Applications: | WB,ELISA |
| Reactivity: | Human,Mouse,Rat |
| Purification: | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |
| Immunogen: | Synthesized peptide derived from the Internal region of human MRCK α . |
| Specificity/Sensitivity: | MRCK α Polyclonal Antibody detects endogenous levels of MRCK α protein. |
| Other Names: | CDC42BPA; KIAA0451; Serine/threonine-protein kinase MRCK alpha; CDC42-binding protein kinase alpha; DMPK-like alpha; Myotonic dystrophy kinase-related CDC42-binding kinase alpha; MRCK alpha; Myotonic dystrophy protein kinase-like alpha |
| Storage/Stability: | -20°C/1 year |
| Source: | Rabbit |
| Form of Antibody: | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Protein Concentration: | 1 mg/ml |

For Research Use Only

| | |
|-------------------|---|
| |  |
| | Western Blot analysis of various cells using MRCKα Polyclonal Antibody |
| Gene Name: | CDC42BPA |
| Dilution: | Western Blot: 1/500 - 1/2000. ELISA: 1/40000. Not yet tested in other applications. |