




## Mucin 13 Polyclonal Antibody

<b>Swiss-Prot No.:</b>	Q9H3R2
<b>Molecular Weight:</b>	54.604
<b>Applications:</b>	WB,IHC,IF,ELISA
<b>Reactivity:</b>	Human
<b>Purification:</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Immunogen:</b>	Synthesized peptide derived from the C-terminal region of human Mucin 13. at AA range: 390-470
<b>Specificity/Sensitivity:</b>	Mucin 13 Polyclonal Antibody detects endogenous levels of Mucin 13 protein.
<b>Other Names:</b>	MUC13; DRCC1; RECC; Mucin-13; MUC-13; Down-regulated in colon cancer 1
<b>Storage/Stability:</b>	-20°C/1 year
<b>Source:</b>	Rabbit
<b>Form of Antibody:</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Protein Concentration:</b>	1 mg/ml

	
	Western Blot analysis of various cells using Mucin 13 Polyclonal Antibody
<b>Gene Name:</b>	MUC13
<b>Dilution:</b>	Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/20000. Not yet tested in other applications.