
	<h1>NARG1 Polyclonal Antibody</h1>	
--	------------------------------------	--

Swiss-Prot No.:	Q9BXJ9
Molecular Weight:	101.272
Applications:	WB,IHC,IF,ELISA
Reactivity:	Human,Mouse
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Immunogen:	Synthesized peptide derived from the Internal region of human NARG1. at AA range: 190-270
Specificity/Sensitivity:	NARG1 Polyclonal Antibody detects endogenous levels of NARG1 protein.
Other Names:	NAA15; GA19; NARG1; NATH; TBDN100; N-alpha-acetyltransferase 15; NatA auxiliary subunit; Gastric cancer antigen Ga19; N-terminal acetyltransferase; NMDA receptor-regulated protein 1; Protein tubedown-1; Tbdn100
Storage/Stability:	-20°C/1 year
Source:	Rabbit
Form of Antibody:	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Protein Concentration:	1 mg/ml

For Research Use Only

	 <p>Western blot analysis of HuvEc cells using NARG1 Polyclonal Antibody. The blot shows a single band at approximately 100 kD. Molecular weight markers are indicated on the left at 170, 130, 95, 72, and 55 kD.</p>
	Western Blot analysis of various cells using NARG1 Polyclonal Antibody
Gene Name:	NAA15
Dilution:	Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/20000. Not yet tested in other applications.