




NGFR p75 Polyclonal Antibody

| | |
|---------------------------------|---|
| Swiss-Prot No.: | P08138 |
| Molecular Weight: | 45.183 |
| Applications: | WB,IF,ELISA |
| Reactivity: | Human,Mouse,Rat |
| Purification: | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |
| Immunogen: | Synthesized peptide derived from the Internal region of human NGFR p75. at AA range: 90-170 |
| Specificity/Sensitivity: | NGFR p75 Polyclonal Antibody detects endogenous levels of NGFR p75 protein. |
| Other Names: | NGFR; TNFRSF16; Tumor necrosis factor receptor superfamily member 16; Gp80-LNGFR; Low affinity neurotrophin receptor p75NTR; Low-affinity nerve growth factor receptor; NGF receptor; p75 ICD; CD antigen CD271 |
| Storage/Stability: | -20°C/1 year |
| Source: | Rabbit |
| Form of Antibody: | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Protein Concentration: | 1 mg/ml |

For Research Use Only

| | |
|------------|---|
| |  <p>(kD)</p> <p>117- 85- 48- 34- 26- 19-</p> <p>K562</p> <p>NGFR p75</p> |
| | Western Blot analysis of various cells using NGFR p75 Polyclonal Antibody |
| Gene Name: | NGFR |
| Dilution: | Western Blot: 1/500 - 1/2000. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/40000. Not yet tested in other applications. |