




p35 Polyclonal Antibody

Swiss-Prot No.:	Q15078
Molecular Weight:	34.06
Applications:	WB,IHC,IF,ELISA
Reactivity:	Human,Mouse,Rat
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Immunogen:	Synthesized peptide derived from the N-terminal region of human p35. at AA rangle: 30-110
Specificity/Sensitivity:	p35 Polyclonal Antibody detects endogenous levels of p35 protein.
Other Names:	CDK5R1; CDK5R; NCK5A; Cyclin-dependent kinase 5 activator 1; CDK5 activator 1; Cyclin-dependent kinase 5 regulatory subunit 1; TPKII regulatory subunit
Storage/Stability:	-20°C/1 year
Source:	Rabbit
Form of Antibody:	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Protein Concentration:	1 mg/ml

	 <p>Western blot analysis of K562 cells using p35 Polyclonal Antibody. The blot shows a single band at the expected molecular weight of 35 kDa, labeled 'p35'. Molecular weight markers (kDa) are indicated on the left: 117, 85, 48, 34, 26, 19. The blot is labeled 'K562' at the top.</p>
	Western Blot analysis of various cells using p35 Polyclonal Antibody
Gene Name:	CDK5R1
Dilution:	Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/20000. Not yet tested in other applications.