




## PKC $\gamma$ Polyclonal Antibody

|                                 |   |
|---------------------------------|---|
| <b>Swiss-Prot No.:</b>          | P05129  |
| <b>Molecular Weight:</b>        | 78.448  |
| <b>Applications:</b>            | WB,ELISA  |
| <b>Reactivity:</b>              | Human,Mouse,Rat   |
| <b>Purification:</b>            | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |
| <b>Immunogen:</b>               | Synthesized peptide derived from the Internal region of human PKC $\gamma$ . at AA range: 150-230                     |
| <b>Specificity/Sensitivity:</b> | PKC $\gamma$ Polyclonal Antibody detects endogenous levels of PKC $\gamma$ protein.                                   |
| <b>Other Names:</b>             | PRKCG; PKCG; Protein kinase C gamma type; PKC-gamma   |
| <b>Storage/Stability:</b>       | -20°C/1 year  |
| <b>Source:</b>                  | Rabbit  |
| <b>Form of Antibody:</b>        | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.   |
| <b>Protein Concentration:</b>   | 1 mg/ml   |

|                   |  |
|-------------------|--|
|                   | <p style="text-align: center;">A549</p>  <p>(kD)</p> <p>117-</p> <p>85-</p> <p>48-</p> <p>34-</p> <p>26-</p> <p>19-</p> |
|                   | Western Blot analysis of various cells using PKC $\gamma$ Polyclonal Antibody  |
| <b>Gene Name:</b> | PRKCG  |
| <b>Dilution:</b>  | Western Blot: 1/500 - 1/2000. ELISA: 1/40000. Not yet tested in other applications.  |