

	PLC γ2 Polyclonal Antibody	
--	---	--

Swiss-Prot No.:	P16885
Molecular Weight:	147.937
Applications:	WB,IHC,ELISA
Reactivity:	Human,Mouse,Rat
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Immunogen:	Synthesized peptide derived from human PLC γ 2 around the non-phosphorylation site of Y753.
Specificity/Sensitivity:	PLC γ 2 Polyclonal Antibody detects endogenous levels of PLC γ 2 protein.
Other Names:	PLCG2; 1-phosphatidylinositol 4; 5-bisphosphate phosphodiesterase gamma-2; Phosphoinositide phospholipase C-gamma-2; Phospholipase C-IV; PLC-IV; Phospholipase C-gamma-2; PLC-gamma-2
Storage/Stability:	-20°C/1 year
Source:	Rabbit
Form of Antibody:	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Protein Concentration:	1 mg/ml

For Research Use Only

	□
	Western blot analysis of kb 3T3 lysis using PLC γ 2 antibody.
Gene Name:	PLCG2
Dilution:	Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/5000. Not yet tested in other applications.