



## Protocadherin-11 Polyclonal Antibody

<b>Swiss-Prot No.:</b>	Q9BZA8/Q9BZA7
<b>Molecular Weight:</b>	146.775
<b>Applications:</b>	IHC,IF,ELISA
<b>Reactivity:</b>	Human
<b>Purification:</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Immunogen:</b>	Synthesized peptide derived from the Internal region of human Protocadherin-11. at AA range: 500-580
<b>Specificity/Sensitivity:</b>	Protocadherin-11 Polyclonal Antibody detects endogenous levels of Protocadherin-11 protein.
<b>Other Names:</b>	PCDH11Y; PCDH11; PCDH22; PCDHY; Protocadherin-11 Y-linked; Protocadherin-11; Protocadherin on the Y chromosome; PCDH-Y; Protocadherin prostate cancer; Protocadherin-PC; Protocadherin-22; PCDH11X; KIAA1326; PCDH11; PCDHX; Protocadherin-11 X-
<b>Storage/Stability:</b>	-20°C/1 year
<b>Source:</b>	Rabbit
<b>Form of Antibody:</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

**For Research Use Only**

<b>Protein Concentration:</b>	1 mg/ml
<b>Gene Name:</b>	PCDH11X/PCDH11Y
<b>Dilution:</b>	Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/20000. Not yet tested in other applications.