




## Spindlin-1 Polyclonal Antibody

<b>Swiss-Prot No.:</b>	Q9Y657
<b>Molecular Weight:</b>	29.601
<b>Applications:</b>	WB,IHC,IF,ELISA
<b>Reactivity:</b>	Human,Mouse,Rat
<b>Purification:</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Immunogen:</b>	Synthesized peptide derived from the Internal region of human Spindlin-1. at AA rangle: 80-160
<b>Specificity/Sensitivity:</b>	Spindlin-1 Polyclonal Antibody detects endogenous levels of Spindlin-1 protein.
<b>Other Names:</b>	SPIN1; OCR; SPIN; Spindlin-1; Ovarian cancer-related protein
<b>Storage/Stability:</b>	-20°C/1 year
<b>Source:</b>	Rabbit
<b>Form of Antibody:</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Protein Concentration:</b>	1 mg/ml

	<p>293T</p> 
	Western Blot analysis of various cells using Spindlin-1 Polyclonal Antibody
Gene Name:	SPIN1
Dilution:	Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/20000. Not yet tested in other applications.