




## TNF-IP 1 Polyclonal Antibody

<b>Swiss-Prot No.:</b>	Q13829
<b>Molecular Weight:</b>	36.204
<b>Applications:</b>	WB,IHC,ELISA
<b>Reactivity:</b>	Human,Mouse,Rat
<b>Purification:</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Immunogen:</b>	Synthesized peptide derived from the Internal region of human TNF-IP 1. at AA rangle: 40-120
<b>Specificity/Sensitivity:</b>	TNF-IP 1 Polyclonal Antibody detects endogenous levels of TNF-IP 1 protein.
<b>Other Names:</b>	TNFAIP1; BACURD2; EDP1; BTB/POZ domain-containing adapter for CUL3-mediated RhoA degradation protein 2; hBACURD2; BTB/POZ domain-containing protein TNFAIP1; Protein B12; Tumor necrosis factor; alpha-induced protein 1, endothelial
<b>Storage/Stability:</b>	-20°C/1 year
<b>Source:</b>	Rabbit
<b>Form of Antibody:</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

<b>Protein Concentration:</b>	1 mg/ml
	 <p>Western blot analysis of HuvEc cells using TNF-IP 1 Polyclonal Antibody. The blot shows a single band at approximately 34 kDa. Molecular weight markers (kDa) are indicated on the left: 117, 85, 48, 34, 26, 19.</p>
	Western Blot analysis of various cells using TNF-IP 1 Polyclonal Antibody
<b>Gene Name:</b>	TNFAIP1
<b>Dilution:</b>	Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/5000. Not yet tested in other applications.