

Tubulin α-3C/D/E Polyclonal Antibody

Swiss-Prot No.:	Q13748/Q6PEY2
Molecular Weight:	49.96
Applications:	WB,ELISA
Reactivity:	Human, Mouse, Rat
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Immunogen:	Synthesized peptide derived from the C-terminal region of human Tubulin α -3C/D/E. at AA rangle: 370-450
Specificity/Sensitivity:	Tubulin α -3C/D/E Polyclonal Antibody detects endogenous levels of Tubulin α -3C/D/E protein.
Other Names:	TUBA3C; TUBA2; TUBA3D; Tubulin alpha-3C/D chain; Alpha-tubulin 2; Alpha-tubulin 3C/D; Tubulin alpha-2 chain; TUBA3E; Tubulin alpha-3E chain; Alpha-tubulin 3E
Storage/Stability:	-20°C/1 year
Source:	Rabbit
Form of Antibody:	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Protein Concentration:	1 mg/ml

	HuvEc	
	(kD)	
	117-	
	85-	
	48-	
	24	
	34-	
	26-	
	19-	
	W . DI. I . C . II T. II.	00 /D /E
	Western Blot analysis of various cells using Tubulin α-3C/D/E Polyclonal Antibody	
	Fulycional Antibody	
Gene Name:	TUBA3C/D/TUBA3E	
Dilution:	Western Blot: 1/500 - 1/2000. ELISA: 1/5000. No	t yet tested
	in other applications.	