



## VEGI Polyclonal Antibody

|                                 |   |
|---------------------------------|---|
| <b>Swiss-Prot No.:</b>          | 095150  |
| <b>Molecular Weight:</b>        | 20.131  |
| <b>Applications:</b>            | WB, IF, ELISA   |
| <b>Reactivity:</b>              | Human   |
| <b>Purification:</b>            | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.                             |
| <b>Immunogen:</b>               | Synthesized peptide derived from the C-terminal region of human VEGI. at AA rangle: 150-230   |
| <b>Specificity/Sensitivity:</b> | VEGI Polyclonal Antibody detects endogenous levels of VEGI protein.   |
| <b>Other Names:</b>             | TNFSF15; TL1; VEGI; Tumor necrosis factor ligand superfamily member 15; TNF ligand-related molecule 1; Vascular endothelial cell growth inhibitor |
| <b>Storage/Stability:</b>       | -20°C/1 year  |
| <b>Source:</b>                  | Rabbit  |
| <b>Form of Antibody:</b>        | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.   |
| <b>Protein Concentration:</b>   | 1 mg/ml   |

|            |   |
|------------|---|
|            |                                        |
|            | Western Blot analysis of various cells using VEGI Polyclonal Antibody   |
| Gene Name: | TNFSF15   |
| Dilution:  | Western Blot: 1/500 - 1/2000. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/20000. Not yet tested in other applications. |