




## CD68 Polyclonal Antibody

<b>Swiss-Prot No.:</b>	P34810
<b>Molecular Weight:</b>	37.408
<b>Applications:</b>	WB,IHC,ELISA
<b>Reactivity:</b>	Human
<b>Purification:</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Immunogen:</b>	Synthesized peptide derived from the Internal region of human CD68.
<b>Specificity/Sensitivity:</b>	CD68 Polyclonal Antibody detects endogenous levels of CD68 protein.
<b>Other Names:</b>	CD68; Macrosialin; Gp110; CD68
<b>Storage/Stability:</b>	-20°C/1 year
<b>Source:</b>	Rabbit
<b>Form of Antibody:</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Protein Concentration:</b>	1 mg/ml

	 <p>Western blot analysis of mouse spleen cells using CD68 Polyclonal Antibody. The blot shows a single band at approximately 38 kDa, labeled CD68. Molecular weight markers are indicated on the left: 70, 55, 40, 35, 25, and 15 kDa.</p>
	Western Blot analysis of mouse spleen cells using CD68 Polyclonal Antibody.
Gene Name:	CD68
Dilution:	Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.