




## p57 Polyclonal Antibody

<b>Swiss-Prot No.:</b>	P49918
<b>Molecular Weight:</b>	32.177
<b>Applications:</b>	WB,IHC,ELISA
<b>Reactivity:</b>	Human, Mouse, Rat
<b>Purification:</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Immunogen:</b>	Synthesized peptide derived from human p57 around the non-acetylation site of K278.
<b>Specificity/Sensitivity:</b>	p57 Polyclonal Antibody detects endogenous levels of p57 protein.
<b>Other Names:</b>	CDKN1C; KIP2; Cyclin-dependent kinase inhibitor 1C; Cyclin-dependent kinase inhibitor p57; p57Kip2
<b>Storage/Stability:</b>	-20°C/1 year
<b>Source:</b>	Rabbit
<b>Form of Antibody:</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Protein Concentration:</b>	1 mg/ml

	
	Western Blot analysis of Jurkat cells using p57 Polyclonal Antibody.
<b>Gene Name:</b>	CDKN1C
<b>Dilution:</b>	Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.