




HDAC1 Polyclonal Antibody

Swiss-Prot No.:	Q13547
Molecular Weight:	55.103
Applications:	WB,IHC,ELISA
Reactivity:	Human, Mouse, Rat
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Immunogen:	Synthesized peptide derived from the Internal region of human HDAC1.
Specificity/Sensitivity:	HDAC1 Polyclonal Antibody detects endogenous levels of HDAC1 protein.
Other Names:	HDAC1; RPD3L1; Histone deacetylase 1; HD1
Storage/Stability:	-20°C/1 year
Source:	Rabbit
Form of Antibody:	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Protein Concentration:	1 mg/ml

	 <p>Western blot analysis of HepG2 cells using HDAC1 Polyclonal Antibody. The blot shows a single band at approximately 60 kDa.</p>
	Western Blot analysis of HepG2 cells using HDAC1 Polyclonal Antibody.
Gene Name:	HDAC1
Dilution:	Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.