




## Tenascin-C Polyclonal Antibody

<b>Swiss-Prot No.:</b>	P24821
<b>Molecular Weight:</b>	240.853
<b>Applications:</b>	WB IHC ELISA
<b>Reactivity:</b>	Human, Mouse, Rat
<b>Purification:</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Immunogen:</b>	Synthesized peptide derived from the C-terminal region of human Tenascin-C.
<b>Specificity/Sensitivity:</b>	Tenascin-C Polyclonal Antibody detects endogenous levels of Tenascin-C protein.
<b>Other Names:</b>	TNC; HXB; Tenascin; TN; Cytotactin; GMEM; GP 150-225; Glioma-associated-extracellular matrix antigen; Hexabrachion; JI; Myotendinous antigen; Neuronectin; Tenascin-C; TN-C
<b>Storage/Stability:</b>	-20°C/1 year
<b>Source:</b>	Rabbit
<b>Form of Antibody:</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Protein Concentration:</b>	1 mg/ml

For Research Use Only

	
	Western Blot analysis of KB cells using Tenascin-C Polyclonal Antibody.
Gene Name:	TNC
Dilution:	Western Blot: 1/500 - 1/2000. IHC-p: 1:100-1:300. ELISA: 1/10000. Not yet tested in other applications.