

CD66c/d Polyclonal Antibody

| Swiss-Prot No.: | P40198/P40199 |
|--------------------------|---|
| Molecular Weight: | 27.72 |
| Applications: | WB ELISA |
| Reactivity: | Human |
| Purification: | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |
| Immunogen: | Synthesized peptide derived from the Internal region of human CD66c/d. |
| Specificity/Sensitivity: | CD66c/d Polyclonal Antibody detects endogenous levels of CD66c/d protein. |
| Other Names: | CEACAM3; CD66D; CGM1; Carcinoembryonic antigen-related cell adhesion molecule 3; Carcinoembryonic antigen CGM1; CD66d; CEACAM6; NCA; Carcinoembryonic antigen-related cell adhesion molecule 6; Non-specific crossreacting antigen; Normal cross-reacting antig |
| Storage/Stability: | -20°C/1 year |
| Source: | Rabbit |
| Form of Antibody: | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |

| Protein Concentration: | 1 mg/ml |
|------------------------|--|
| | HEPG2 NOUSE BRUNN 178 100 70 55 45 25 CEACAM3/CEACAM6 |
| | Western Blot analysis of HepG2, mouse brain cells using CD66c/d Polyclonal Antibody. |
| Gene Name: | CEACAM3/CEACAM6 |
| Dilution: | Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications. |