

TFIIB Antibody

Catalog Number E230005-1, E230005-2

Amount 50μg/50μl, 100μg/100μl

Description Rabbit polyclonal IgG to TFIIB

GeneBank ID NM_001514.5

Immunogen Recombinant full length amino acids of human TFIIB.

Reacts with Hu, Ms

Tested applications Recommended dilutions. ELISA: 1/5000 - 1/20000. WB: 1/800 - 1/2000.

Cellular localization Nucleus

Relevance TFIIB is one of the ubiquitous factors required for transcription initiation by

RNA polymerase II. The protein localizes to the nucleus where it forms a complex (the DAB complex) with transcription factors IID and IIA. Transcription factor IIB serves as a bridge between IID, the factor which initially recognizes


the promoter sequence, and RNA polymerase II.

Purity Protein G-Sepharose affinity purified.

Storage buffer Preservative: 0.02% Sodium Azide and 50% glycerol, 1% BSA, PBS, pH7.4.

Form Liquid

Storage instructions Aliquot and store at -20°C. Avoid repeated freeze / thaw cycles.



TFIIB antibody (E230005) at 1/800 dilution interacts with MCF7 whole cell lysate 40ug. Predicted band size: 35KDa. Observed band size: 34KDa.

For Research Use Only