

# **USP37** Antibody

# **Product description:**

Formulation: Lyophilized USP37 antibody purified by protein affinity column containing 1% BSA and 0.02%

NaN<sub>3</sub> Catalog No.: E306091

Size: 100ug/200ul

### Source:

Rabbit polyclonal USP37 <sup>(1)</sup> antibody was raised against a recombinate human USP37 protein 2-217aa (BC050461).

# **Species Reactivity:**

Reacts with: Human Predicted: mus,rat

Not yet tested in other species.

#### **Application:**


For research use only

ELISA titer: 1:20,000-1:80,000 Western blot analysis: 1:500-1:1,000 Immunohistochemistry: 1:100-1:500 Optimal dilutions/concentrations should be determined by the end user.


## **Dilution instruction and storage:**

Already reconstituted in 200ul sterile  $H_2O$ . The antibody is stable for at least one year when stored at -20°C after reconstitution.

Avoid repeated freeze/defrost cycles.



Western Blot analysis of MCF-7 cell Lysate with anti-USP37 antibody



Immunohistochemical staining of formalinfixed paraffin-embedded prostate carcinoma staining with anti-USP37 antibody at a dilution of 1/100.

#### **Reference:**

(1) Huang,X., Summers,M.K., Pham,V. et al. Deubiquitinase USP37 is activated by CDK2 to antagonize APC(CDH1) and promote S phase entry. Mol. Cell 42 (4), 511-523 (2011)