

## **ERG Polyclonal Antibody**

Catalog Number: E91240
Amount: 100ul

Background: This gene encodes a member of the erythroblast transformation-specific (ETS) family of

transcriptions factors. All members of this family are key regulators of embryonic development, cell proliferation, differentiation, angiogenesis, inflammation, and apoptosis. The protein encoded by this gene is mainly expressed in the nucleus. It contains an ETS DNA-binding domain and a PNT (pointed) domain which is implicated in the self-association of chimeric oncoproteins. This protein is required for platelet adhesion to the subendothelium, inducing vascular cell remodeling. It also regulates hematopoesis, and the differentiation and maturation of megakaryocytic cells. This gene is involved in chromosomal translocations, resulting in different fusion gene products, such as TMPSSR2-ERG and NDRG1-ERG in prostate cancer, EWS-ERG in Ewing's sarcoma and FUS-ERG in acute myeloid leukemia. Multiple alternatively spliced transcript variants encoding different isoforms have been identified. [provided by RefSeq, Jan 2012]

Species: Rabbit Isotype: IgG

Storage/Stability: Store at -20oC or -80oC. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,

50% glycerol, pH7.3.

**Synonyms:** ERG;erg-3;p55;

Immunogen: Recombinant proteinof human ERG

Purification: Affinity purification

Reactivity: H M R
Applications: WB IHC
Molecular Weight: 55kDa
Swiss-Prot No.: P11308
Gene ID: 2078

