

## **RPS27A Polyclonal Antibody**

Catalog Number: E92027

Amount: 100ul

Background: Ubiquitin, a highly conserved protein that has a major role in targeting cellular proteins for

degradation by the 26S proteosome, is synthesized as a precursor protein consisting of either polyubiquitin chains or a single ubiquitin fused to an unrelated protein. This gene encodes a fusion protein consisting of ubiquitin at the N terminus and ribosomal protein S27a at the C terminus. When expressed in yeast, the protein is post-translationally processed, generating free ubiquitin monomer and ribosomal protein S27a. Ribosomal protein S27a is a component of the 40S subunit of the ribosome and belongs to the S27AE family of ribosomal proteins. It contains C4-type zinc finger domains and is located in the cytoplasm. Pseudogenes derived from this gene are present in the genome. As with ribosomal protein S27a, ribosomal protein L40 is also synthesized as a fusion protein with ubiquitin; similarly, ribosomal protein S30 is synthesized as a fusion protein with the ubiquitin-like protein fubi. Multiple alternatively spliced transcript variants that encode the same proteins have been identified.[provided by RefSeq, Sep 2008]

**Species:** Rabbit **Isotype:** IgG

Storage/Stability: Store at -20oC or -80oC. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,


50% glycerol, pH7.3.

Synonyms: CEP80; HUBCEP80; UBA80; UBCEP1; UBCEP80; UBC; S27A; RPS27A; Ubiquitin;

Immunogen: Recombinant proteinof human RPS27A

**Purification:** Affinity purification

Reactivity: H M R
Applications: WB IHC
Molecular Weight: 9kDa
Swiss-Prot No.: P62979
Gene ID: 6233



For Research Use Only

Support: service@enogene.com

Order: order@enogene.com

Web: www.enogene.com