

Receptor-Type Tyrosine-Protein Kinase FLT3/FLT3(Fc fusion)

Catalog Number: E21-C51

Amount: 10ug

Altername: Receptor-Type Tyrosine-Protein Kinase FLT3; FL Cytokine Receptor; Fetal Liver Kinase-2; FLK-2; Fms-Like Tyrosine Kinase 3; FLT-3; Stem Cell Tyrosine Kinase 1; STK-1; CD135; FLT3; FLK2; STK1

Swiss prot#:AAI26351.1

M.W.:85.3 KDa, 120 KDa, reducing conditions

Storage/Stability:Store at < -20°C, stable for 6 months after receipt. Please minimize freeze-thaw cycles.

Background: The FIt-3 (fms-like tyrosine kinase) receptor, also named FIk-2and Stk-1 is a member of the class III subfamily of receptor tyrosine kinases that also includes KIT, the receptor for SCF and FMS, the receptor for M-CSF. The extracellular region of these receptors contains five immunoglobulin-like domains and the intracellular region contains a split kinase domain. Human FIt-3 cDNA encodes a 993 amino acid (aa) residue type I membrane protein with a 26 aa residue signal peptide, a 515 aa extracellular domain with 10 potential N-linked glycosylation sites, a 21 aa residue transmembrane domain and a 431 aa residue cytoplasmic domain. FIt-3 expression has been detected in various tissues, including placenta, gonads, and tissues of nervous and hematopoietic origin. Among hematopoietic cells, the expression of FIt-3 was found to be restricted to the highly enriched stem/progenitor cell populations. The ligand for FIt-3 (FL) has been identified to be a transmembrane protein with structural homology to M-CSF and SCF. Recombinant soluble FIt-3/Fc chimeric protein has been shown to bind FL with high affinity and is a potent FL antagonist.

Endotoxin:Less than 0.1 ng/μg (1 IEU/μg) as determined by LAL test.

Purity: Greater than 95% as determined by reducing SDS-PAGE.

Description:Recombinant Human Receptor-Type Tyrosine-Protein Kinase FLT3/FLT3 is produced by our Mammalian expression system and the target gene encoding Asn27-Asn541 is expressed with a Fc tag at the C-terminus.

Product State:Liquid

Ship Description: The product is shipped on dry ice/ice packs.

Formulation: Supplied as a 0.2 µm filtered solution of 20mM PB,150mM NaCl,pH7.2.

