



Swiss-Prot No.:	P15941
Altermname:	MUC1
Storage/Stability:	-20°C/1 year
Immunogen:	Synthesized peptide derived from Mucin-1 at AA range: 1021-1070
Purification:	Affinity purified
Reactivity:	Human,Mouse,Rat
Other Names:	MUC1; PUM; Mucin-1; MUC-1; Breast carcinoma-associated antigen DF3; Carcinoma-associated mucin; Episialin; H23AG; Krebs von den Lungen-6; KL-6; PEMT ; Peanut-reactive urinary mucin; PUM; Polymorphic epithelial mucin; PEM; Tumor-associated epithelial membrane antigen; EMA; Tumor-associated mucin; CD227
Cellular localization:	Cell membrane, Cytoplasm, Membrane, Nucleus, Secreted
Antibody type:	Polyclonal antibody
Isotype:	Unknown
Molecular Weight:	122
	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02%

Preservative:	sodium azide.
Recommended Dilutions:	Western Blot: 1/500 - 1/2000. IHC-p: 1:100-1:300. ELISA: 1/10000. Not yet tested in other applications.
	
	Western blot analysis of Mucin 1 in mouse heart lysates using Mucin 1 antibody
	
	Immunohistochemistry analysis of paraffin-embedded Human cervical cancer using Mucin 1 antibody. High-pressure and

temperature Sodium Citrate pH 6.0 was used for antigen retrieval.