
	<h1>TSG101 Rabbit pAb</h1>	E 2 3 8 1 5 3 8
--	----------------------------	--------------------------------------

<b>Swiss-Prot No.:</b>	Q99816
<b>Storage/Stability:</b>	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
<b>Immunogen:</b>	A synthesized peptide derived from human TSG101
<b>Purification:</b>	Affinity Chromatography
<b>Reactivity:</b>	Human,Mouse,Rat
<b>Other Names:</b>	TSG101; ESCRT-I complex subunit TSG101; Tumor susceptibility gene 10; Tumor susceptibility protein; VPS23; TSG10;
<b>Background:</b>	Component of the ESCRT-I complex, a regulator of vesicular trafficking process. Binds to ubiquitinated cargo proteins and is required for the sorting of endocytic ubiquitinated cargos into multivesicular bodies (MVBs). Mediates the association between the ESCRT-0 and ESCRT-I complex. Required for completion of cytokinesis; the function requires CEP55.
<b>Cellular localization:</b>	Cytoplasm, Cytoskeleton, Endosome, Membrane, Nucleus
<b>Source:</b>	Rabbit
<b>Antibody type:</b>	Polyclonal Antibody
<b>Isotype:</b>	IgG

**For Research Use Only**

<b>Molecular Weight:</b>	Calculated MW: 44 kDa; Observed MW: 44 kDa
<b>Preservative:</b>	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
<b>Recommended Dilutions:</b>	WB: 1/500-1/1000 IHC: 1/50-1/100 IF: 1/50-1/200 FC: 1/50-1/100
<b>Product Type:</b>	Primary Antibody
<b>Applications:</b>	WB,IHC-P,ICC/IF,FC
<b>Clone Number:</b>	-
<b>Gene Name:</b>	TSG101
<b>Altername:</b>	TSG101; Tumor susceptibility gene 101 protein; ESCRT-I complex subunit TSG101
<b>Gene ID:</b>	7251
<b>Form of Antibody:</b>	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
	 <p>Western blot analysis of TSG101 in Jurkat lysates using</p>

**For Research Use Only**

	TSG101 antibody.
--	------------------