


| | | |
|--|--------------------------|--------------------------------------|
|  | <h1>MSR1 Rabbit pAb</h1> | E 2 5 0 1 9 2 3 |
|--|--------------------------|--------------------------------------|

| | |
|-------------------------------|---|
| Swiss-Prot No.: | P21757 |
| Altername: | MSR1 |
| Storage/Stability: | Store at -20°C. Avoid freeze / thaw cycles. |
| Immunogen: | Recombinant fusion protein containing a sequence corresponding to amino acids 192-451 of human MSR1 (NP_619729.1). |
| Purification: | Affinity purified |
| Reactivity: | Human,Mouse |
| Other Names: | SRA; SR-A; CD204; SR-AI; phSR1; phSR2; SCARA1; SR-AII; SR-AIII |
| Cellular localization: | LDL, Membrane |
| Relevance: | Membrane glycoproteins implicated in the pathologic deposition of cholesterol in arterial walls during atherogenesis. Two types of receptor subunits exist. These receptors mediate the endocytosis of a diverse group of macromolecules, including modified low density lipoproteins (LDL) (PubMed:2251254). Isoform III does not internalize acetylated LDL (PubMed:9548586). |
| Source: | Rabbit |
| Antibody type: | Polyclonal antibody |

For Research Use Only

| | |
|-------------------------------|---|
| Isotype: | Rabbit IgG |
| Molecular Weight: | 63kDa |
| Preservative: | PBS with 0.02% sodium azide, 50% glycerol, pH7.3. |
| Recommended Dilutions: | WB 1:500 - 1:2000; IF 1:10 - 1:100 (Optimal dilutions should be determined by the end user) |