

	<h1>PSMA4 Rabbit pAb</h1>	E 2 5 0 2 5 1 1
--	---------------------------	--------------------------------------

Swiss-Prot No.:	P25789
Altername:	PSMA4
Storage/Stability:	Store at -20°C. Avoid freeze / thaw cycles.
Immunogen:	Recombinant fusion protein containing a sequence corresponding to amino acids 1-261 of human PSMA4 (NP_001096137.1).
Purification:	Affinity purified
Reactivity:	Human,Mouse,Monkey
Other Names:	HC9; PSC9; HsT17706
Cellular localization:	Cytoplasm, Nucleus, Proteasome
Relevance:	Component of the 20S core proteasome complex involved in the proteolytic degradation of most intracellular proteins. This complex plays numerous essential roles within the cell by associating with different regulatory particles. Associated with two 19S regulatory particles, forms the 26S proteasome and thus participates in the ATP-dependent degradation of ubiquitinated proteins. The 26S proteasome plays a key role in the maintenance of protein homeostasis by removing misfolded or damaged proteins that could impair cellular functions, and by removing proteins whose functions are no longer required. Associated with the PA200 or PA28, the 20S proteasome

For Research Use Only

	mediates ubiquitin-independent protein degradation. This type of proteolysis is required in several pathways including spermatogenesis (20S-PA200 complex) or generation of a subset of MHC class I-presented antigenic peptides (20S-PA28 complex).
Source:	Rabbit
Antibody type:	Polyclonal antibody
Isotype:	Rabbit IgG
Molecular Weight:	28kDa
Preservative:	PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Recommended Dilutions:	WB 1:500 - 1:2000; IF 1:50 - 1:200; IP 1:50 - 1:100 (Optimal dilutions should be determined by the end user)