

|  |              |  |
|--|--------------|--|
|  | <b>RIOK1</b> | <b>E<br/>3<br/>0<br/>8<br/>7<br/>5<br/>9</b> |
|--|--------------|--|

|                               |   |
|-------------------------------|---|
| <b>Altername:</b>             | ; FLJ30006; MGC12903; AD034; RRP10; bA288G3.1;  |
| <b>Immunogen:</b>             | Recombinant fragment corresponding to 350-563aa of human RIOK1.   |
| <b>Purification:</b>          | Purified by antigen affinity column.  |
| <b>Reactivity:</b>            | Human. Predicted: Rat, Mus.   |
| <b>References:</b>            | So J, Pasculescu A, Dai AY, et al. Integrative analysis of kinase networks in TRAIL-induced apoptosis provides a source of potential targets for combination therapy. Sci Signal. 8(371):rs3 (2015) |
| <b>Background:</b>            | Homo sapiens RIO kinase 1 (yeast), mRNA   |
| <b>Gene ID:</b>               | BC006104  |
| <b>Source:</b>                | Rabbit  |
| <b>Antibody type:</b>         | Polyclonal  |
| <b>Isotype:</b>               | IgG   |
| <b>Molecular Weight:</b>      | 66KD  |
| <b>Preservative:</b>          | Already dissolved in sterile H <sup>2</sup> O with 1% BSA and 0.02% NaN <sup>3</sup> and 50% glycerol.  |
| <b>Recommended Dilutions:</b> | ELISA(1:20,000~80,000) Western blotting(1:200~1,000) Immunohistochemistry(1:100~500)  |

**For Research Use Only**