

Altername:	; ARIP3; DIP; MIZ; MIZ1; PIASX; PIASX-ALPHA; PIASX-BETA; SIZ2; ZMIZ4;
Immunogen:	Recombinant fragment corresponding to 358-538aa of human PIAS2.
Purification:	Purified by antigen affinity column.
Reactivity:	Human. Predicted: Rat, Mus.
References:	Wu L, Wu H, Ma L, et al. Miz1, a novel zinc finger transcription factor that interacts with Msx2 and enhances its affinity for DNA. Mech. Dev. 65 (1-2), 3-17 (1997)
Background:	Homo sapiens protein inhibitor of activated STAT, 2, mRNA.
Gene ID:	BC015190
Cellular localization:	Nucleus
Source:	Rabbit
Antibody type:	Polyclonal
Isotype:	lgG
Molecular Weight:	68KD
Preservative:	Already dissolved in sterile H <sup>2</sup> O with 1% BSA and 0.02% NaN <sup>3</sup> and 50% glycerol.

## For Research Use Only

## Order: order@enogene.com Support: service@enogene.com Web: www.enogene.com

Recommended	ELISA (1:20,000-80,000) Western blotting (1:200-1,000)	
Dilutions:	Immunohistochemistry (1:100-500)	