

Altername:	; CMS11; CMS4C; FADS; RAPSYN; RNF205;
Immunogen:	Recombinant fragment corresponding to 133-347aa of human RAPSN.
Purification:	Purified by antigen affinity column.
Reactivity:	Human. Predicted: Rat, Mus.
References:	Apel ED, Roberds SL, Campbell KP et al. Rapsyn may function as a link between the acetylcholine receptor and the agrin-binding dystrophin-associated glycoprotein complex. Neuron 15 (1), 115-126 (1995)
Other Names:	Purified Rabbit Anti Human RAPSN Polyclonal antibody.
Background:	Homo sapiens receptor-associated protein of the synapse, mRNA
Gene ID:	BC004196
Cellular localization:	Cell junction, Cell membrane, Cytoplasm, Cytoskeleton, Membrane, Postsynaptic cell membrane, Synapse
Source:	Rabbit
Antibody type:	Polyclonal
Isotype:	IgG
Molecular Weight:	46KD
Preservative:	Already dissolved in sterile H ² O with 1% BSA and 0.02% NaN ³

For Research Use Only

Order: order@enogene.com Support: service@enogene.com Web: www.enogene.com

	and 50% glycerol.
Recommended Dilutions:	ELISA (1:20,000-80,000) Western blotting (1:200-1,000)